
Steel Wire Rope 6x24-7FC

Product information



Slings





... Read more

Rope construction: 6x24-7FC.
Marking: According to standard
Standard: EN 12385-4

Fill factor: 0.41

CERTEX Svenska AB
info@certex.se
08-758 00 10

© November 2026 - All Rights Reserved

Steel Wire Rope 6x24-7FC

Lifting table

Part code	Rope diameter mm	Tensile strength N/mm²	Finish	Rope lay	Min. breaking force kN	Steel area mm²	Lubrication	Weight kg/100m
101100804250310	8	1,770	Galvanized	sZ	31.8	20.6	Dry	20
101101004250310	10	1,770	Galvanized	sZ	49.6	32.2	Dry	32
101101204250310	12	1,770	Galvanized	sZ	71.4	46.4	Dry	46
101101804250310	18	1,770	Galvanized	sZ	161	104	Dry	103

CERTEX Svenska AB
info@certex.se
08-758 00 10
© November 2026 - All Rights Reserved