



## **Steel Wire Rope ROPETEX S14 PVC Transparent**

 SZ
 G
 Image: Comparison of the second se

 Rope construction: 6x19M-FC

 Marking: According to standard

 Temperature range: -30°C up to +70°C

 Standard: EN 12385-4

 except from coating

 Note: End terminations must be placed on exposed steel wire rope. PVC-coating must be removed before applying a ferrule, and ferrule size is to be determined by the steel wire ropes dimensions. Periodic inspections of the steel wire rope can be made difficult due to the PVC-coating. The end user must handle this risk in a proper way, by for instance replacing the wire rope in time.

Fill factor: 0,45

Product information

Part code	Rope diameter mm	Inner diameter mm	Colour	Tensile strength N/mm²	Min. breaking force kN	Steel area mm²	Lubrication	Weight kg/100m
105130080060020	8	6	transparent	1,770	19.6	12.9	-	16.1
105130100080020	10	8	transparent	1,770	34.8	22.8	-	25.5
105130120100020	12	10	transparent	1,770	54.3	35.7	-	34.6