

## Roundsling Supra Plus/Magnum

### Product information



**Design:** Load carrying yarn covered with “seamless” color coded protection sleeve. Supra Plus and Magnum have an extra strong protection sleeve. As well as a blue label the Supra plus is provided with a RFID chip for identification.

**Stretch with working load:** 2-3%.

**Length tolerance:** Nominal length (EWL)  $\pm 2\%$ .

**Material:** Polyester. Resistant to most acids but not strong alkalizes.

**Marking:** According to standard, The slings are provided provided with a RFID chip for identification and a blue label with manufacturer's symbol, working load limit (WLL), length, CE marking and a label with handling instr

**Temperature range:** app.  $-40^{\circ}$  -  $+100^{\circ}\text{C}$ .

**Standard:** EN 1492-2

**Safety factor:** 7:1.

<b>Part code</b>	<b>WLL ton</b>	<b>Type</b>	<b>Colour</b>
34010010XXX0180	1	Supra Plus	Violet
34010020XXX0180	2	Supra Plus	Green
34010030XXX0180	3	Supra Plus	Yellow
34010040XXX0180	4	Supra Plus	Grey
34010050XXX0180	5	Supra Plus	Red
34010060XXX0180	6	Supra Plus	Brown
34010080XXX0180	8	Supra Plus	Blue
34010100XXX0180	10	Magnum	Orange
34010150XXX0180	15	Magnum	Orange
34010200XXX0180	20	Magnum	Orange
34010250XXX0180	25	Magnum	Orange
34010300XXX0180	30	Magnum	Orange
34010400XXX0180	40	Magnum	Orange
34010500XXX0180	50	Magnum	Orange
34010600XXX0180	60	Magnum	Orange
34010800XXX0180	80	Magnum	Orange
34011000XXX0180	100	Magnum	Orange

## Blueprint

