

## Stainless Fork Terminal

### Product information



Fork terminals are amongst the most commonly used wire end fittings, they are normally attached to pre drilled anchor plates or steel constructions. Also used in combination with toggles, eyes or U-bolts.

**Material:** Stainless steel AISI 316.

**Marking:** logo, wire size and swage depth.

**Temperature range:** -50°C to +100°C and briefly up to +200°C

**Finish:** Polished.



<b>Part Code</b>	<b>Rope diameter mm</b>	<b>Pin diameter mm</b>	<b>MBL ton</b>	<b>A mm</b>	<b>B mm</b>	<b>D mm</b>	<b>L1 mm</b>	<b>L2 mm</b>	<b>Weight kg/100pc</b>	<b>Delivery time</b>
1207100502	2	5	0.8	7,5	12	5,5	58	32	2	5
1207100503	3	5	0.8	7,5	12	6,4	67	38	2.3	10
1207100604	4	6	1.5	9,5	13	7,5	73	45	3.4	5
1207100805	5	8	2.4	11	15	9,0	87	51	5.5	5
1207109506	6	9.5	3.8	12	19	12,6	104	64	11.3	5
1207101207	7	12	6.5	14	25	14,2	119	70	18.1	5
1207101608	8	16	8.5	17	33	16,0	145	83	25.5	5
1207101610	10	16	9.4	17	33	17,8	149	89	36.6	5
1207101912	12	19	11.2	24	48	20,0	189	105	66	5
1207102214	14	22	15	30	57	25,0,	232	140	112.7	10

# Blueprint

