

Chain SMS - Half Long Link Grade 2

Product information

Chain for different applications.

Marking: According to standard

Finish: 3 - 4.5 mm zink-plated, 5 mm hot-dip galvanized.

Standard: SMS 1503

Warning: Not for lifting.

Grade: 2



| Part code | Chain diameter mm | Min. breaking force kN | Length m | Package | D mm | E mm | H mm | Weight kg/m | Delivery time |
|-----------------|----------------------|---------------------------|-------------|---------|---------|---------|---------|----------------|---------------|
| 200100200250011 | 2 | 1.5 | 25 | Bundle | 2 | 15 | 3 | 0.07 | 10 |
| 200100250250011 | 2.5 | 2.3 | 25 | Bundle | 2.5 | 17 | 4 | 0.11 | 5 |
| 200100300250011 | 3 | 3.4 | 25 | Bundle | 3 | 19 | 5 | 0.16 | 10 |
| 200100350250011 | 3.5 | 4.6 | 25 | Bundle | 3.5 | 21 | 5.5 | 0.22 | 10 |
| 200100400250011 | 4 | 6 | 25 | Bundle | 4 | 23 | 6 | 0.28 | 10 |
| 200100450250011 | 4.5 | 7.5 | 25 | Bundle | 4.5 | 25 | 7 | 0.36 | 10 |
| 200100500250011 | 5 | 9.5 | 25 | Bundle | 5 | 28 | 8 | 0.45 | 5 |
| 200100550250011 | 5.5 | 11.5 | 25 | Bundle | 5.5 | 31 | 9 | 0.5 | 10 |
| 200100600250011 | 6 | 13.5 | 25 | Bundle | 6 | 35 | 10 | 0.6 | 10 |
| 200100700250011 | 7 | 18.5 | 25 | Bundle | 7 | 41 | 11 | 0.9 | 10 |
| 200100800250011 | 8 | 24 | 25 | Bundle | 8 | 47 | 13 | 1.1 | 10 |
| 200100900250011 | 9 | 32 | 25 | Bundle | 9 | 53 | 15 | 1.4 | 10 |
| 200101000250011 | 10 | 40 | 25 | Bundle | 10 | 59 | 16 | 1.7 | 10 |
| 200101100250011 | 11 | 46 | 25 | Bundle | 11 | 50 | 15 | 2.2 | 5 |
| 200101300250011 | 13 | 63 | 25 | Bundle | 13 | 55 | 20 | 3 | 10 |
| 200101600250011 | 16 | 96 | 25 | Bundle | 16 | 65 | 22 | 4.6 | 5 |

Blueprint

