

Chain DIN - Long Link Grade 2

Product information



Chain for different applications.

Marking: According to standard

Finish: 3-4.5 mm zink-plated, 5- mm hot-dip galvanized.

Standard: DIN 763

Warning: Not for lifting.

Grade: 2

Part Code	Chain diameter mm	Min. Breaking force kN.	Length m	D mm	E mm	H mm	Weight kg/m	Delivery time
200100200250021	2	1.5	25	2	22	4	0.06	5
200100250250021	2.5	2.3	25	2.5	24	5	0.1	5
200100300500021	3	3.2	50	3	26	6	0.15	10
200100350250021	3.5	4.6	25	3.5	28	7	0.2	5
200100400500021	4	6	50	4	32	8	0.27	10
200100450250021	4.5	8	25	4.5	34	9	0.35	10
200100500300021	5	10	30	5	35	10	0.43	10
200100550250021	5.5	12	25	5.5	36	10	0.53	10
200100600300021	6	14	30	6	42	12	0.63	5
200100700250021	7	18	25	7	49	14	0.86	5
200100800150021	8	22	15	8	52	16	1.1	5
200100900250021	9	32	25	9	59	18	1.4	5
200101000150021	10	40	15	10	65	20	1.8	10
200101100250021	11	47.5	25	11	72	22	2.1	5
200101300250021	13	63	25	13	82	26	3	5

Blueprint

