

Chain DIN - Long Link Grade 2

Product information

Chain for different applications.

Marking: According to standard

Finish: 3-4.5 mm zink-platined, 5- mm hot-dip galvanized.

Standard: DIN 763

Warning: Not for lifting.

Grade: 2



Part code	Chain diameter mm	Min. breaking force kN	Length m	Package	D, mm	E mm	H, mm	Weight kg/m	Packing Qty.	Delivery time
200100200250021	2	1.5	25	Bundle	2	22	4	0.06	25	3
200100250250021	2.5	2.3	25	Bundle	2.5	24	5	0.1	25	3
200100300250021	3	3.2	25	Bundle	-	-	-	0.15	25	3
200100350250021	3.5	4.6	25	Bundle	3.5	28	7	0.2	25	3
200100400300023	4	6	30	reel	-	-	-	0.27	25	3
200100500250021	5	10	25	Bundle	-	-	-	0.43	25	3
200100500500023	5	10	50	reel	-	-	-	0.43	25	3
200100600250021	6	14	25	Bundle	-	-	-	0.63	25	3
200100700250021	7	18	25	Bundle	7	49	14	0.86	25	3
200100800250021	8	22	25	Bundle	-	-	-	1.1	25	3
200101000250021	10	40	25	Bundle	-	-	-	1.8	25	10
200101100250021	11	47.5	25	Bundle	11	72	22	2.1	25	3

Blueprint

