


## Chain WOX Stainless Pewag - Short Link

### Product information



Stainless steel lifting chain, electrically welded and stamped, guaranteed compatible with Connex CWI connectors.

**Standard:** Similar DIN 5687-1

The WOX chain is particularly suited for use in water and wastewater applications. It can also be used in connection with chemicals and food products; however, restrictions will apply.

**Material:** 1.4404 (AISI 316L).

**Marking:** According to standard

**Finish:** Brightly polished.

**Standard:** EN 818-2

**Safety factor:** 4:1

**Grade:** 6

| Part code       | Chain diameter<br>mm | WLL<br>ton | Min. breaking force<br>kN | Model     | b1 min. | b2 max. | dn<br>mm | t<br>mm | Weight<br>kg/m | Delivery time |
|-----------------|----------------------|------------|---------------------------|-----------|---------|---------|----------|---------|----------------|---------------|
| 202100400000010 | 4                    | 0.4        | 16                        | WOX 4-6   | 5.8     | 14.8    | 4        | 12      | 0.4            | 10            |
| 202100500000010 | 5                    | 0.63       | 25                        | WOX 5-6   | 7.5     | 18.5    | 5        | 15.1    | 0.61           | 3             |
| 202100600000010 | 6                    | 0.9        | 37.5                      | WOX 6-6   | 8       | 21.5    | 6        | 18      | 0.88           | 3             |
| 202100700000010 | 7                    | 1.25       | 50                        | WOX 7-6   | 9.5     | 25.2    | 7        | 21      | 1.19           | 3             |
| 202100800000010 | 8                    | 1.6        | 63                        | WOX 8-6   | 10.8    | 28.6    | 8        | 24      | 1.53           | 3             |
| 202101000000010 | 10                   | 2.5        | 100                       | WOX 10-6  | 13.5    | 36      | 10       | 30      | 2.4            | 3             |
| 202101300000010 | 13                   | 4.25       | 170                       | WOX 13-6  | 17.5    | 46.8    | 13       | 39      | 4.05           | 10            |
| 202101600000010 | 16                   | 6.3        | 250                       | WOX 16-6  | 21.5    | 57.6    | 16       | 48      | 6              | 3             |
| 202102000000010 | 20                   | 8          | 314                       | WOX 20-5  | 27      | 72      | 20       | 60      | 9.29           | 10            |
| 202102600000010 | 26                   | 12         | 471                       | WOX 26-4+ | 35      | 93.6    | 26       | 78      | 16.2           | 10            |

## Blueprint

