

Kaus rostfritt



Produktinformation



Pressade av profilstål. Förstahandsvalet för användning tillsammans med ställinor inom den marina sektorn.

Material: Rostfritt syrafast stål AISI 316.

Ytbehandling: Polerade.

Art.nr	Lindiameter mm	A mm	B mm	L mm	S mm	Vikt kg/100st	Uppskattad ledtid, upp till
123100200190	2	3	9	16	1,0	0,2	5
123100300190	3	4	10	17	1,0	0,3	5
123100400190	4	5	11	19	1,35	0,5	5
123100500190	5	6	13	21	1,2	0,7	5
123100600190	6	7	15	27	1,5	1,1	5
123100700190	7	8	19	33	1,5	1,4	5
123100800190	8	9	22	38	2,0	2,6	5
123100900190	9	10	24	43	2,0	3,1	10

123101000190	10	11	27	46	2,7	4,9	5
123101200190	12	14	29	52	2,7	6,6	5
123101400190	14	16	33	57	3,0	9	5
123101600190	16	18	40	67	3,0	11,3	5
123101800190	18	20	45	75	4,0	19	5
123102000190	20	22	52	84	4,0	31,2	10
123102200190	22	24	56	93	5,0	45,5	10
123102600190	26	28	65	112	6,0	67	10
123102800190	28	30	80	135	5,5	82	5
123103200190	32	34	92	160	6,25	110	10
123103400190	34	36	105	160	6,0	117	10
123103600190	36	38	115	176	6,0	142	10
123103800190	38	40	120	180	8,0	206	10
123104000190	40	42	120	192	8,0	220	10
123104200190	42	45	150	240	8,0	304	10

Ritning & mått

